AF2C1

1- glass door tall safety cabinet with filtration - Suitable with HEPA filter

COMPLIANCE

NF X 15-211, Electric fan in compliance with CE specifications

ADVANTAGES

Storage of flammables, CE certified • NF X 15-211 compliant . corrosives and toxics **BUT ALSO...** · Perforated shelves Lighting control Front control window allowing to survey the proper working of the fan to see immediately the filter Active coal filters Complies with risk adsorption capacity and filtration system certified NF X 15-211 prevention and safety recommendations Active coal filter tested to the standard NF X Stop 99,97% of the particles with a diameter bigger than · Available with different configurations : 1, 2, 3 15-211 or 4 compartments 0.3 µm Normalized labelling
provided with the Easy replacement of the active coal filter No modification of building's structure required equipment • Fan in compliance with CE specifications



NFX 15-211

CE

TECHNICAL FEATURES

Model Compliance

Cabinet materials

Doors color Number of doors Doors type Hinges AF2C1 NF X 15-211, Electric fan in compliance with CE specifications 15/10th epoxy painted steel structure, Double-wall white RAL 9010 1 swing doors right Door closure Shipping dimensions HxWxD (mm)

Ventilation

Number of compartments Containment sump HS Code manual closing 2100 x 1200 x 800

Lateral inlet, outlet at the top of the cabinet 1

1

94032080

COMPLEMENTARY PRODUCTS

 Activated carbon filter for organic and corrosive vapors - for cabinets range 12.X since 2008 (Réf : CORG301) Activated carbon filter for formaldehyde vapors - for cabinets range 12.X since 2008 (Réf : FOR300) HEPA filter for cabinets range 12.X (Réf : HEP300) Activated carbon filter for organic vapors for cabinets range 12.X since 2008 (Réf : ORG300) HEPA filter frame for H301 - H311 (Réf : SH300)

OPTIONS

 Shelf for cabinets for range 12.X (Réf : ESAF2X)

Model	External dimensions HxWxD (mm)	Internal dimensions HxWxD (mm)	Weight (kg)
AF2C1	1900 x 800 x 545	1660 x 780 x 500	140.00



138 avenue Henri BARBUSSE 92140 Clamart (France) Tél. 01 46 45 80 00 - Fax : 01 46 45 85 98 www.trionyx.fr - trionyx[at]trionyx.fr