







# 2- glass door tall safety cabinet with filtration - 3 compartments

## **COMPLIANCE**

NF X 15-211, Electric fan in compliance with CE specifications

## **ADVANTAGES**

- · CE certified
- NF X 15-211 compliant
- Storage of flammables, corrosives and toxics

 Draft standard EN 17242

#### **BUT ALSO...**

- Stop 99,97% of the particles with a diameter bigger than 0.3 µm
- Active coal filters adsorption capacity and filtration system certified NF X 15-211
- Complies with risk prevention and safety recommendations
- Available with different configurations: 1, 2, 3 or 4 compartments
- Perforated shelves

- Front control window to see immediately the filter
- Active coal filter tested to the standard NF X 15-211
- Lighting control allowing to survey the proper working of the fan

- Normalized labelling provided with the equipment
- No modification of building's structure required
- Fan in compliance with CE specifications



## **TECHNICAL FEATURES**

Model Compliance

Cabinet materials

Doors color Number of doors Doors type AF43+

NF X 15-211, Electric fan in compliance with CE specifications 15/10th epoxy painted steel structure, Double-wall white RAL 9010

swing doors

Hinges Ventilation

Number of compartments

Containment sump HS Code right & left Lateral inlet, outlet at the top of

the cabinet

3 94032080

## **COMPLEMENTARY PRODUCTS**

- Activated carbon filter for ammonia vapors for old fume hoods type 200, 201, 210 and 211 (Réf: AMM200)
- Activated carbon filter for organic and corrosive vapors -Compatible MF3-BE (Réf: CORG203)
- Activated carbon filter for formaldehyde vapors - for old fume hoods type 200, 201, 210 and 211 (Réf: FOR200)
- Activated carbon filter for organic vapors for H200 - H201 - H210 -H211 (Réf : ORG200)

Model	External dimensions HxWxD (mm)	Internal dimensions HxWxD (mm)	Weight (kg)
AF43+	1940 x 1600 x 650	1660 x (1 x )780+(2 x )380 x 500	0.00

