

1- door underbench safety cabinet for toxics

COMPLIANCE

ADVANTAGES

- Complies with risk prevention and safety recommendations
 - Designed to be placed under-bench
 - Storage of flammables, corrosives and toxics
- BUT ALSO...**
- Especially designed to settle under the bench
 - Equipment allowing space saving
 - Complies with risk prevention and safety recommendations
 - Holes for the connection to the ventilation
 - Normalized labelling provided with the equipment
 - Doors with key locking system
 - Possibility to add swivel castors, for an easy movement of the cabinet



TECHNICAL FEATURES

Model	TO30	Shipping dimensions HxWxD (mm)	870 x 600 x 800
Cabinet materials	15/10th epoxy painted steel structure	Ventilation	Both inlet and outlet
Doors color	white RAL 9010	Openings diameter (mm)	100
Number of doors	1	Number of compartments	1
Doors type	swing doors	Containment sump	1
Hinges	left	HS Code	94032080
Door closure	self-closing		

ADDITIONAL ACCESSORIES RECOMMENDED – FILTRATION OR VENTILATION BOXES

- Filtration box with activated carbon filter for organic vapors (Réf : CDF-A)
- Ventilation box for a connection to the outside (Réf : CDV-A)
- Connecting kit (Réf : KRC)
- Vertical recycling air box (delivered without filter) (Réf : H40+)

OPTIONS

- 4 swivel castors 2 with locking (Réf : 4ROU)

Model	External dimensions HxWxD (mm)	Internal dimensions HxWxD (mm)	Storage capacity (L)	Containment sump	Shelves	Load capacity	Weight (kg)
TO30	670 x 550 x 500	650 x 530 x 470	30	1	1	50	30.00