

# 1- door underbench safety cabinet for toxics

## COMPLIANCE

## ADVANTAGES

- Complies with risk prevention and safety recommendations
- Designed to be placed under-bench
- Storage of flammables, corrosives and toxics

### BUT ALSO...

- Especially designed to settle under the bench
- Equipment allowing space saving
- Complies with risk prevention and safety recommendations
- Holes for the connection to the ventilation
- Normalized labelling provided with the equipment
- Doors with key locking system
- Possibility to add swivel castors, for an easy movement of the cabinet



## TECHNICAL FEATURES

Model	<b>TO30</b>	Shipping dimensions HxWxD (mm)	<b>870 x 600 x 800</b>
Cabinet materials	<b>15/10th epoxy painted steel structure</b>	Ventilation	<b>Both inlet and outlet</b>
Doors color	<b>white RAL 9010</b>	Openings diameter (mm)	<b>100</b>
Number of doors	<b>1</b>	Number of compartments	<b>1</b>
Doors type	<b>swing doors</b>	Containment sump	<b>1</b>
Hinges	<b>left</b>	HS Code	<b>94032080</b>
Door closure	<b>self-closing</b>		

## ADDITIONAL ACCESSORIES RECOMMENDED – FILTRATION OR VENTILATION BOXES

- Filtration box with activated carbon filter for organic vapors (Réf : cdfa)
- Ventilation box for a connection to the outside (Réf : CDV-A)
- Connecting kit (Réf : KRC)
- Vertical recycling air box (delivered without filter) (Réf : H40+)

## OPTIONS

- 4 swivel castors 2 with locking (Réf : 4ROU)

Model	External dimensions HxWxD (mm)	Internal dimensions HxWxD (mm)	Storage capacity (L)	Containment sump	Shelves	Load capacity	Weight (kg)
TO30	670 x 550 x 500	650 x 530 x 470	30	1	1	50	30.00